


# THREE-PHASE DRY-TYPE POWER TRANSFORMERS

Ref : 6T313-AB-L351



\*Dimensions are expressed in millimeters, mass in kilograms and reserves represent the ventilation space to be kept around the product for good heat dissipation. The drawing is not contractual.

## Notes et options

Options: Adjustment taps, Multi-voltages, Electrostatic screen, Reduced inrush current, Low consumption, Resistance to harmonics, Silent block, caster, Integrated protections, reinforced insulation, Tropicalization, Class II, transformer Factor K5, K7, K9 , High frequencies.

Additional options for the covered versions: Specific color paint, IP21 to IP55, Built-in case with integrated protections, custom housing possible,

|  |                         |
|--|-------------------------|
| Product reference                                | 6T313-AB-L351           |
| Power/Value                                      | 31.5 KVA                |
| IP Indice  | IP21                    |
| Voltage(s)/Current                               | 400V / 400V             |
| Number of Phases                                 | Three-Phase             |
| Use frequency                                    | 50-60Hz                 |
| Coupling   | Dyn11                   |
| Dimensions (L x I x H)                           | 605 x 520 x 645         |
| Fixings: X x Y x Ø (mm)                          | 440 x 500 x 10          |
| Weight   | 165                     |
| Standard   | IEC 60076-11            |
| Winding material                                 | Aluminium               |
| RoHS compliant                                   | Yes                     |
| Temperature rise class                           | Classe H                |
| Eyebolts   | Yes                     |
| Recommended Electrical Protection Input / Output | DJ D - 63A / DJ C - 50A |
| Dielectric Input/Output and active/ground        | 3000V / 3000V           |
| Insulation class                                 | I                       |
| Cooling  | Air Naturel             |